



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REV		DESCRIPTION		DATE	INITIAL	APPROVED
A		BROKE OUT INTO INDIVIDUAL TOOLS & LISTED EACH TOOL IN BOM PER RW.		4/7/11	RJC	
1		CH'D -7 FOAM CUT OUT FOR RBW6205G08131-3G FOR A BETTER FIT PER S.E.		3/7/12	RJC	SE





ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-1	1	M/R FLANGED BUSHING REM.		RBW6205G08031-3G	1
			-3	1	M/R FLANGED BUSHING INST.		RBW6205G08131-3G	1
		B/O	-5	1	CASE	PLASTIC	PELICAN #APP-1300-E BLACK	N/S
		B/O	-7	1	BOTTOM FOAM	Y20 BLACK	5.00 x 7.18 x 9.34 I.R. SPECIALTY	2
		B/O	-9	1	LID FOAM	C200 FLAT, BLACK	1.23 x 7.12 x 9.16 I.R. SPECIALTY	3
		B/O	-11	1	INSIDE PLACARD	PLASTIC	1/16 x 3-1/2 x 6 MCKENZIE LASER	4
ASSY -9	ASSY -1							

RB RED BARN MACHINE TITLE M/R FLANGED BUSHING R&R DWG NO. RBW6205G06231-3G REV 1	DRAWN BY: CLOUGH	
	UNLESS OTHERWISE SPECIFIED	DRAWN BY: CLOUGH
	DIMENSIONS ARE IN INCHES	
	TOLERANCES ON:	APPROVED <i>D. Weil</i>
	DECIMALS	HEAT TREAT
	.XXX \pm .005	FINISH
	.XX \pm .01	SPEC
	.X \pm .1	USED ON MODEL
	ANGLES \pm .5°	AW139
	UNLESS OTHERWISE SPECIFIED	
1. BREAK ALL SHARP EDGES		
.015 x 45° PR. .015 R.		
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		
SCALE NTS		DATE 3-24-10
SHEET 1 of 4		

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REV		DESCRIPTION		DATE	INITIAL	APPROVED
1		CH'D -7 FOAM CUT OUT FOR RBW6205G08131-3G FOR A BETTER FIT PER S.E.		3/7/12	RJC	SE



 RED BARN MACHINE	
TITLE	M/R FLANGED BUSHING R&R
DWG NO.	RBW6205G06231-3G-7
REV	1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: CLOUGH
TOLERANCES ON: DECIMALS .XXX \pm .005	APPROVED: <i>D. Weil</i>
.XX \pm .01	HEAT TREAT
.X \pm .1	FINISH SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR. .015 R	USED ON MODEL AW139
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE	NTS
DATE	3-24-10
SHEET	2 of 4


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REV		DESCRIPTION		DATE	INITIAL	APPROVED



 RED BARN MACHINE	
M/R FLANGED BUSHING R&R	
DWG NO.	RBW6205G06231-3G-9
REV	1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: CLOUGH
TOLERANCES ON: DECIMALS .XXX \pm .005	APPROVED <i>D. Weil</i>
.XX \pm .01	HEAT TREAT
.X \pm .1	FINISH SPEC
FRACTIONS \pm 1/32	USED ON MODEL
ANGLES \pm .5°	AW139
1. BREAK ALL SHARP EDGES .015 x 45° PR. .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 3-24-10
	SHEET 3 of 4

REV		DESCRIPTION		DATE	INITIAL	APPROVED



(-11)

INSIDE PLACARD

 RED BARN MACHINE	
TITLE M/R FLANGED BUSHING R&R	
DWG NO.	RBW6205G06231-3G-11
REV	1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: CLOUGH
TOLERANCES ON: DECIMALS .XXX \pm .005	APPROVED <i>D. Weil</i>
.XX \pm .01	HEAT TREAT
.X \pm .1	FINISH SPEC
FRACTIONS \pm 1/32	USED ON MODEL
ANGLES \pm .5°	AW139
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 3-24-10
	SHEET 4 of 4